# PICTURE RAIL SYSTEM GUIDE

## RAIL


Each picture rail is crafted in heavy gauge brass for maximum strength to provide exceptional support and eliminate flexing and support.

Please select your diameter and provide a finished length, including the finial.

### BRACKETS

Choose between the traditional End/Centre bracket combination or for a more streamlined aesthetic, the Ring bracket.

When specifying an electrified rail, the Ring bracket must be used.



### FINIALS

For simple and discreet finishing of the pole ends, we offer a choice of plain and stepped end caps.

For a more decorative flourish, you can select from our wide range of classic and traditional finial designs, all cast and turned in our UK Foundry.



Helter





Stepped End Cap





Ribbed Ball





COLLIER WEBB HANDCRAFTED IN ENGLAND

Ribb

Ribbed

## CHAINS

Aesthetics and weight load are important considerations in your choice and we offer five different sizes of traditional picture chain which are suitable for all sizes of artwork, tapestries or mirrors.


We recommend using a pair of parallel hanging chains. Weight loads listed are per pair of chains.

1"/25mm links 40kg/88lbs 1<sup>1</sup>/<sub>8</sub>"/29mm links 43kg/96lbs 1 ⁵⁄₁₀"/33mm links 54kg/120lbs Heavy Duty 1<sup>5</sup>/1<sup>6</sup>/33mm links 72kg/160lbs Heavy Duty 17/16"/36mm links 299kg/660lbs



### 'S' HOOKS

'S' hook for 1" and  $1\frac{1}{2}$ " diameter picture rails, suitable for use with our hanging chain connects the chain to the rail.



### PICTURE HANGING BRACKETS

Picture Bracket Hooks are installed on the back of the frame and attach the artwork to the chain.

The connector link will help transition the connection between the bracket and the chain.





# COLLIER WEBB

HANDCRAFTED IN ENGLAND

# LIGHTING










#### METAL FINISHES



Our range of colour finishes are individually hand applied and therefore can vary. Some finishes may naturally age over time. It is not intended to be representational of a specific product. Please contact our sales department for more information.

> COLLIER WEBB HANDCRAFTED IN ENGLAND

### PICTURE RAIL SYSTEM ENQUIRY CHECKLIST

Please fill in or circle selections below and a member of sales will be in touch with more information. Please note, all components must have a selection in order to properly estimate.

#### Diameter of Rail:

- 1"/25mm
- 1.5"/38mm

#### Finished length of Rail, including Finial (Please note multiple sizes when applicable):

\*\*Maximum length of a single rail is 8'. For any systems longer than 8', seams will be required. As standard, the seam is placed centre, but location can be adjusted based on design intent. A bracket will need to be placed at every seam location for additional support. Please speak with sales for further clarification.

#### Metal finish:

- Antique Brass
- Polished Brass
- Aged Matt Brass
- Antique Gilt
- Antique Bronze
- Dark Bronze

#### Finial Design:

- Plain
- Stepped
- Ribbed Ball
- Ribbed
- Lancer
- Helter
- Pine Cone
- Berry

#### Bracket Design and Quantity:

- End/Centre or Ring
- Quantity of each
- Brackets come with colour matched woodscrews as standard

\*\* Collier Webb recommends placing end brackets 4"/101mm from the end. Subsequent brackets should be placed aproximately 48"/1219mm apart: please note, these are general guidlines. Design intent, wall substrate and weight load of hanging item are all factors in the above recommendations. Please speak with sales for further clarification.

#### Chain gauge:

- 1", 88lb/40kg max weight load per pair
- •11/8", 96lb/43.5kg max weight load per pair
- •1<sup>5</sup>/<sub>16</sub>", 120lb/54.5kg max weight load per pair
- 1<sup>5</sup>/<sub>16</sub>" HD, 160lb/72.5kg max weight load per pair
- 1<sup>7</sup>/16" HD, 660lb/299kg max weight load per pair
- Number of strands of chain
- Length of each strand

#### Number of 'S' Hooks:

\*\* S Hooks attach the chain to the rail

#### Picture Hanging Bracket Size and Quantity:

- Small: <sup>3</sup>/<sub>8</sub>"/9.5mm wide, 2 <sup>1</sup>/<sub>3</sub> "/60mm length, <sup>1</sup>/<sub>2</sub>"/13mm projection, 20lb max weight load per pair
- Medium: <sup>3</sup>/<sub>4</sub>"/9.5mm wide, 4"/101mm length, 1<sup>1</sup>/<sub>4</sub>"/32mm projection, 60lb max weight load per pair
- Large: 3/4"/9.5mm wide, 6"/152mm length, 11/4"/32mm projection, 100lb max weight load per pair

\*\* Picture hanging brackets are what attach your artwork/mirror to the chain and are installed on the back of the art/mirror at the top of the vertical sides of the frame. Please ensure that the hook dimensions listed above are compatible with your frame dimension. If inset chains are required or the frame size is not compatible, your framer will need to provide firm backing so that you may properly install the brackets.

Light design (if applicable):

- Articulated
- Clipper
- Scallop

Sketch/drawing of intended layout (if required)

